


## PRODUCT DATA SHEET

### Hydro H 6 V

The special baths for gentle vaporization work from columns, Erlenmeyer flasks or beakers are suitable for unattended continuous operation in the laboratory thanks to water level controllers and a water shortage protection. LAUDA Hydro vaporization water baths are available in five models, all equipped with a removable perforated cover with a multi-part ring set made of heat-resistant plastic.



Working temperature min.  
25 °C



Working temperature max.  
100 °C

#### Technical Attributes

Technical Attributes	Hydro H 6 V
Working temperature min.	25 °C
Working temperature max.	100 °C
Ambient temperature min.	10 °C
Ambient temperature max.	40 °C
Temperature stability	3 ±K
Application	Inside the bath
Heater power	1 kW
Power consumption	1 kW
Bath volume max.	5.3 L
Bath depth	90 mm
Dimensions (WxDxH) in mm	682x232x190

LAUDA DR. R. WOBSEY GMBH & CO. KG  
Pfarrstraße 41/43 · 97922 Lauda-Königshofen  
Postfach 1251 · 97912 Lauda-Königshofen · DE

T +49 (0) 9343 503-0 · F +49 (0) 9343 503-222  
info@lauda.de · www.lauda.de  
WEEE-Reg.-Nr.: DE 66 42 40 57

Kommanditgesellschaft: Sitz Lauda-Königshofen  
Registergericht Mannheim · HRA 560069

Persönlich haftende Gesellschafterin:  
LAUDA DR. R. WOBSEY Verwaltungs-GmbH  
Sitz Lauda-Königshofen  
Registergericht Mannheim · HRB 560226

Geschäftsführer:  
Dr. Gunther Wobser (Vors.), Dr. Mario Englert  
Dr. Marc Stricker  
Beirat: Dr. Gerhard Wobser