KERN **EMB 1000-2**



Entry level laboratory balance with tremendous weighing performance



Category	
Brand	KERN
Product categoriy	Laboratory balance
Product group	School balance
Product family	EMB

Measuring System	
Construction type of the scale	Single-range balance
Weighing system	Strain gauge
Weighing capacity [Max]	1000 g
Readability [d]	0,01 g
Resolution	100.000
Linearity	± 0,05 g
Reproducibility	0,01 g
Tare range	1000 g
Default unit	g
Units	g dwt ozt oz
Adjustment options	Adjusting with external weight
Recommended adjusting weight	1 kg (F1)
Possible calibration points	1 kg
Stabilization time	2,5 s
Warm-up time	120 min
Eccentric loading at 1/3 [Max]	0,05 g
Maximum creep (15 minutes)	100 mg
Maximum creep (30 minutes)	200 mg

	 ,	O
Approval		
CE mark	✓	

Display	
Display type	LCD
Display screen size	58×18 mm
Display backlight	no
Display digit height	15 mm
Languages of the user interface	Symbol language

Construction	
Dimension housing (W×D×H)	170×244×39 mm
Material housing	plastic
Material weighing plate	plastic
Dimensions weighing surface (Ø)	150 mm

Functions	
Number of keys for operation	2
Auto-off interval(s) in battery mode/rechargeable battery mode	3 min
Tare function	manual (multi)
Underfloor weighing	Hook (included in delivery)

Power Supply	
Input voltage device / power [Max]	9 V, 300 mA
Plug-in power supply type	Power adapter
Supplied power supply	Battery
Plug-in power supply / adapter for countries - optional	EURO UK US CH
Rechargeable battery optional	Rchrg. battery optional
Rechargeable battery charging time	10 h
Rechargeable battery operating time - backlight off	50 h
Battery	9 V block
Battery / accumulator type	Alkali(-Manganese)
Battery connection	Pad + Spring
Battery voltage	9 V
Battery operating time	12 h
Environmental conditions	

Environmental conditions	
Humity of environment [Max]	80 %
Ambient temperature [Min]	5 °C
Ambient temperature [Max]	35 °C
Storage temperature [Min]	-20 °C
Storage temperature [Max]	60 °C

1

KERN **EMB 1000-2**



Entry level laboratory balance with tremendous weighing performance

1 d
220×290×150 mm
0,86 kg
Parcel service
0,90 kg
1,4 kg
1,9 kg

Services (optional) Article number for DAkkS calibration Article number for certificate of conformity (verification) 963-127 969-517

Pictograms

STANDARD



OPTION

